BOOTS

```
BBBBBBBB    000000    000000   TTTTTTTTTT DDDDDDDD  EEEEEEEEEE FFFFFFFFFF
BBBBBBBB    000000    000000   TTTTTTTTTT DDDDDDDD  EEEEEEEEEE FFFFFFFFFF
BB      BB  00    00  00    00     TT     DD    DD  EE         FF
BB      BB  00    00  00    00     TT     DD    DD  EE         FF
BB      BB  00    00  00    00     TT     DD    DD  EE         FF
BBBBBBBB    00    00  00    00     TT     DD    DD  EEEEEEEE   FFFFFFFF
BBBBBBBB    00    00  00    00     TT     DD    DD  EEEEEEEE   FFFFFFFF
BB      BB  00    00  00    00     TT     DD    DD  EE         FF
BB      BB  00    00  00    00     TT     DD    DD  EE         FF
BB      BB  00    00  00    00     TT     DD    DD  EE         FF      ....
BB      BB  00    00  00    00     TT     DD    DD  EE         FF      ....
BBBBBBBB    000000    000000       TT     DDDDDDDD  EEEEEEEEEE FF      ....
BBBBBBBB    000000    000000       TT     DDDDDDDD  EEEEEEEEEE FF      ....


    SSSSSSSS  DDDDDDDD  LL
    SSSSSSSS  DDDDDDDD  LL
  SS          DD    DD  LL
  SS          DD    DD  LL
  SS          DD    DD  LL
    SSSSSS    DD    DD  LL
    SSSSSS    DD    DD  LL
          SS  DD    DD  LL
          SS  DD    DD  LL
          SS  DD    DD  LL
          SS  DD    DD  LL
  SSSSSSSS    DDDDDDDD  LLLLLLLLLL
  SSSSSSSS    DDDDDDDD  LLLLLLLLLL
```

```
{
{       Version          'V04-000'
{
{****************************************************************
{*                                                              *
{*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY                     *
{*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.      *
{*  ALL RIGHTS RESERVED.                                        *
{*                                                              *
{*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED  *
{*  ONLY IN  ACCORDANCE WITH  THE  TERMS  OF  SUCH  LICENSE  AND WITH THE  *
{*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR  ANY  OTHER  *
{*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY  *
{*  OTHER PERSON.  NO TITLE TO AND OWNERSHIP OF  THE  SOFTWARE IS  HEREBY   *
{*  TRANSFERRED.                                                *
{*                                                              *
{*  THE INFORMATION IN THIS SOFTWARE IS  SUBJECT TO CHANGE WITHOUT NOTICE  *
{*  AND  SHOULD  NOT  BE  CONSTRUED AS  A COMMITMENT BY DIGITAL EQUIPMENT  *
{*  CORPORATION.                                                *
{*                                                              *
{*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE  OR  RELIABILITY OF ITS  *
{*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.     *
{*                                                              *
{*                                                              *
{****************************************************************

{++
{
{ FACILITY:  BOOTS - System and device generation
{
{ ABSTRACT:
{
{       This file contains the SDL source for definitions used locally
{       in the BOOTS facility.
{
{ ENVIRONMENT:
{
{       n/a
{
{--
{
{
{ AUTHOR:  Maryann Hinden        CREATION DATE: 23-Jun-1983
{
{ MODIFIED BY:
{
{       V03-003 WHM0002          Bill Matthews           12-Jan-1984
{               Moved $ACFDEF back to SYSDEFAE.SDL because driver's can
{               reference it.
{
{       V03-002 WHM0001          Bill Matthews           13-Dec-1983
{               Added $ACFDEF formerly in SYSDEFAE.SDL.
{               Added remote bit for CONNECT CONSOLE/REMOTE
{               Added logical bit for CONNECT CONSOLE/LOGICAL
{
{       V03-001 MSH0001          Maryann Hinden          24-Jun-1983
```

```
{          Make $BOODEF honest - change name to BOOCMD$ to avoid
{          conflicts with those in SYSDEFAE.
{                                .
```

```
module $BOOCMDDEF;
/*+
/*      Definitions for SYSGEN command options flags
/*-

aggregate BOOCMDDEF union prefix BOOCMD$;
        CMDOPT_BITS structure fill;
                NOCHECK bitfield mask;
                NORESET bitfield mask;
                SAVE bitfield mask;
                USER bitfield mask;
                PAGEFILE bitfield mask;
                NONCONTIG bitfield mask;
                SELECT bitfield mask;
                EXCLUDE bitfield mask;
                CONT bitfield mask;
                DEFAULT bitfield mask;
                USEFILE bitfield mask;
                DISHEX bitfield mask;
                AUTOLOG bitfield mask;
                OUTPUT bitfield mask;
                INPUT bitfield mask;
                SETOUTPUT bitfield mask;
                TERMINAL bitfield mask;
                CONTIG bitfield mask;
                NOCHKPNT bitfield mask;
                REMOTE bitfield mask;
                LOGICAL bitfield mask;
        end CMDOPT_BITS;

end BOOCMDDEF;

end_module $BOOCMDDEF;
```

BOOTS
MAR

AUTOCONFG
LIS

WRITEBOOT
MAP

BOOCVTATB
LIS

VMB
MAP

SYSGEN
MAP

ACTIMAGE
LIS

BOOTS8
LIS

BOOTDEF
SDL